RCO
Quality Measure Status

NOVEMBER 19, 2014



Key Points To Remember

- Quality Measures calculated based on calendar year
- Our codes are currently being reviewed, so take as preliminary data
- All of the data to calculate these measures is being provided to the Health Home programs. You can break down the measures to the individual level.

COMPREHENSIVE DIABETES CARE: 1) HBA1C TESTING; 2) EYE EXAMS


Diabetic Eye Exam
60%
55%
50%
45%
40%
35%
30%
25%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State


Diabetic HBA1C
90%
85%
80%
75%
70%
65%
60%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State



MEDICATION MANAGEMENT FOR PEOPLE WITH ASTHMA


Asthma Medication Maintenance Ages 5-11
(who remained on therapy for 75% of the treatment period)
30%
25%
20%
15%
10%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State


Asthma Medication Maintenance Ages 12-18
(who remained on therapy for 75% of the treatment period)
35%
33%
31%
29%
27%
25%
23%
21%
19%
17%
15%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State


Asthma Medication Maintenance Ages 19-64
(who remained on therapy for 75% of the treatment period)
50%
45%
40%
35%
30%
25%
20%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State



CERVICAL CANCER SCREENING


Cervical Cancer Screening
70%
65%
60%
55%
50%
45%
40%
35%
30%
25%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State



PRENATAL AND POSTPARTUM CARE: 1) TIMELINESS OF PRENATAL CARE; 2) POSTPARTUM CARE


Timeliness of Prenatal Care
90%
85%
80%
75%
70%
65%
60%
55%
50%
45%
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State


Postpartum Care
100%
95%
90%
85%
80%
75%
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State

PERCENTAGE OF LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS


Low Weight Births
(< 2500g)
The Lower The Better
19%
17%
15%
13%
11%
9%
7%
5%
2010
2011
2012
2013
Above Avg
Below Avg
A
B
C
D
E
State

FOLLOW-UP AFTER HOSPITALIZATION (WITHIN 30 DAYS) (BH-RELATED PRIMARY DIAGNOSIS)


Mental Illness Follow Up 2013
70%
60%
50%
40%
30%
20%
10%
7-12
13-18
19+
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State

ANTIDEPRESSANT MEDICATION MANAGEMENT: 1) EFFECTIVE ACUTE PHASE TREATMENT (12 WEEKS); 2) EFFECTIVE CONTINUATION PHASE TREATMENT (6 MONTHS)


Antidepressant Medication Management
(acute phase - 12 weeks)
70%
60%
50%
40%
30%
20%
10%
0%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State


Antidepressant Medication Management
(continuation - 6 months)
40%
35%
30%
25%
20%
15%
10%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State

WELL-CHILD VISITS: 1) WELL-CHILD VISITS IN THE THIRD, FOURTH, FIFTH AND SIXTH YEARS OF LIFE; 2) ADOLESCENT WELL-CARE VISITS


Well Care Ages 3-6
75%
70%
65%
60%
55%
50%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State


Well Care Ages 12-21
55%
50%
45%
40%
35%
30%
2010
2011
2012
2013
Below 25
25-50
50-75
Above 75
A
B
C
D
E
State

AMBULATORY CARE-SENSITIVE CONDITION ADMISSION


Ambulatory Care Sensitive Conditions Admission Rate
1,600
1,500
1,400
1,300
1,200
1,100
1,000
The Lower The Better
2010
2011
2012
2013
A
B
C
D
E
State

CARE TRANSITION – TRANSITION RECORD TRANSMITTED TO HEALTH CARE PROFESSIONAL

MEDICAL RECORD REVIEW

Review, summary and analysis